

**Individual Hearing Test**

07/14/2010

Employee **Doe, Jane**

DOB **08/25/1975** Sex **Female**

Location

Department

	Current		Baseline		----- Shifts -----			
	01/13/2003		08/90 02/00		Actual		Age Correct	
	L	R	L	R	L	R	L	R
500Hz	20	5	10	5	10	0	9	-1
1000Hz	10	10	5	5	5	5	4	4
2000Hz	15	20	0	0	15	20	14	20
3000Hz	40	70	15	60	25	10	23	9
4000Hz	45	70	25	65	20	5	18	4
6000Hz	70	75	60	65	10	10	8	9
8000Hz					0	0	-2	-1
A Speech	15	11	5	3	10	8	9	7
V 2,3,4	33	53	13	41	20	11	18	11
G High	51	71	33	63	18	8	16	7

Standard Threshold Shift

Left Ear **YES**

Right Ear **YES**

**Classification**

Speech Frequencies

High Frequencies

Left **Normal**

**Moderate**

Right **Normal**

**Severe**

Comment:

Examiner: **OHM User**

Audiometer:

Calibration Date:

**Individual Hearing Test**

07/14/2010

Employee **Doe, John**

DOB **12/19/1948** Sex **Male**

Location

Department

	Current 08/05/2001		Baseline 04/09/1991		----- Shifts -----			
	L	R	L	R	Actual		Age Correct	
					L	R	L	R
500Hz	45	50	20	15	25	35	24	34
1000Hz	50	55	20	20	30	35	29	34
2000Hz	50	75	20	25	30	50	27	47
3000Hz	60	75	30	40	30	35	24	29
4000Hz	75	80	40	40	35	40	27	32
6000Hz	75	85	50	50	25	35	16	26
8000Hz					0	0	-9	-9
A Speech	48	60	20	20	28	40	26	38
V 2,3,4	61	76	30	35	31	41	26	36
G High	70	80	40	43	30	36	22	29

Standard Threshold Shift

Left Ear **YES**

Right Ear **YES**

**Classification**

Speech Frequencies

High Frequencies

Left **Moderate**

**Moderate Severe**

Right **Moderate Severe**

**Severe**

Comment:

Examiner: **OHM User**

Audiometer:

Calibration Date: **08/04/2001**

**Individual Hearing Test**

07/14/2010

Employee **Harry, Handsome R**

DOB **10/12/1949** Sex **Male**

Location

Department

	Current 08/05/2001		Baseline 09/02/1992		----- Shifts -----			
	L	R	L	R	Actual		Age Correct	
					L	R	L	R
500Hz	50	50	40	45	10	5	9	4
1000Hz	50	45	40	45	10	0	9	-1
2000Hz	55	50	45	50	10	0	8	-2
3000Hz	65	65	50	50	15	15	10	10
4000Hz	65	65	50	55	15	10	8	3
6000Hz	70	70	55	65	15	5	7	-3
8000Hz					0	0	-8	-8
A Speech	51	48	41	46	10	1	8	0
V 2,3,4	61	60	48	51	13	8	8	3
G High	66	66	51	56	15	10	8	3

Standard Threshold Shift

Left Ear **YES**

Right Ear **NO**

**Classification**

Speech Frequencies

High Frequencies

Left **Moderate**

**Moderate Severe**

Right **Moderate**

**Moderate Severe**

Comment:

Examiner: **OHM User**

Audiometer:

Calibration Date: **08/04/2001**

**Individual Hearing Test**

07/14/2010

Employee **Hobby, Holly**

DOB **01/15/1962** Sex **Female**

Location

Department

	Current		Baseline		----- Shifts -----			
	03/02/1989		03/02/1989		Actual		Age Correct	
	L	R	L	R	L	R	L	R
500Hz	10	10	10	10	0	0	0	0
1000Hz	5	10	5	10	0	0	0	0
2000Hz	5	5	5	5	0	0	0	0
3000Hz	10	5	10	5	0	0	0	0
4000Hz	15	10	15	10	0	0	0	0
6000Hz	30	25	30	25	0	0	0	0
8000Hz					0	0	0	0
A Speech	6	8	6	8	0	0	0	0
V 2,3,4	10	6	10	6	0	0	0	0
G High	18	13	18	13	0	0	0	0

Standard Threshold Shift

Left Ear **NO**

Right Ear **NO**

**Classification**

Speech Frequencies

High Frequencies

Left **Normal**

**Normal**

Right **Normal**

**Normal**

Comment:

Examiner: **OHM User**

Audiometer: **MI-5000**

Calibration Date: **02/01/1989**

**Individual Hearing Test**

07/14/2010

Employee **Rogers, Roy L**

DOB **03/04/1960** Sex **Male**

Location

Department **Maintenance**

	Current		Baseline		----- Shifts -----			
	07/06/1989		07/06/1989		Actual		Age Correct	
	L	R	L	R	L	R	L	R
500Hz	15	15	15	15	0	0	0	0
1000Hz	5	5	5	5	0	0	0	0
2000Hz	20	10	20	10	0	0	0	0
3000Hz	35	20	35	20	0	0	0	0
4000Hz	45	70	45	70	0	0	0	0
6000Hz	45	80	45	80	0	0	0	0
8000Hz					0	0	0	0
A Speech	13	10	13	10	0	0	0	0
V 2,3,4	33	33	33	33	0	0	0	0
G High	41	56	41	56	0	0	0	0

Standard Threshold Shift

Left Ear **NO**

Right Ear **NO**

**Classification**

Speech Frequencies

High Frequencies

Left **Normal**

**Moderate**

Right **Normal**

**Moderate Severe**

Comment:

Examiner: **OHM User**

Audiometer:

Calibration Date:

**Individual Hearing Test**

07/14/2010

Employee **Susan, Silly**

DOB **05/08/1968** Sex **Female**

Location

Department

	Current 08/05/2001		Baseline		----- Shifts -----			
	L	R	L	R	Actual		Age Correct	
					L	R	L	R
500Hz	0	0			0	0	0	0
1000Hz	0	0			0	0	0	0
2000Hz	0	5			0	0	0	0
3000Hz	5	5			0	0	0	0
4000Hz	10	10			0	0	0	0
6000Hz	10	15			0	0	0	0
8000Hz					0	0	0	0
A Speech	0	1	0	0	0	0	0	0
V 2,3,4	5	6	0	0	0	0	0	0
G High	8	10	0	0	0	0	0	0

Standard Threshold Shift

Left Ear **NO**

Right Ear **NO**

**Classification**

Speech Frequencies

High Frequencies

Left **Normal**

**Normal**

Right **Normal**

**Normal**

Comment:

Examiner: **Jerry Southard**

Audiometer:

Calibration Date: **08/04/2001**